මගේ අංකය) எமது இல. My Number

ඔබේ අංකය ා

Your Number

உமது இல.

UJ/F/S1/L/17/2023



තැ.පෙ.අංකය-57 තිරුනෙල්වේලි, යාපනය

த.பெ. எண் - 57. திருநெல்வேலி, யாழ்ப்பாணம்.

දුරකට්නය: 021-2222483

தொலைபேசி:021-2222006

Telephone: 021-2222644

යාපනය විශ්වවිදනාලය, ශීලංකාව. யாழ்ப்பாணப் பல்கலைக்கழகம், இலங்கை. UNIVERSITY OF JAFFNA, SRI LANKA.

P.O. Box - 57, Thirunelvely, Jaffna.

Finance Branch, University of Jaffna 01.11.2023

Dear Sir/ Madam,

MINUTES OF THE PRE-BID MEETING OF SUPPLY OF IT EQUIPMENT FOR COMPUTER UNIT, UNIVERSITY OF JAFFNA

TENDER REF: UJ/F/NCB/003/2023

As per the pre bid meeting held on 01.11.2023 at 10.00 a.m., it has been decided to made the following changes as given below.

Page No	Description	As Published		Revised as	
37	Price Schedule	Printer		Multi-Functional Printer	
40	Schedule Requirements	Printer		Multi-Functional Printer	
41	Technical Specification of Desktop Computer	Video Ports	VGA HDMI / Display port	Video Ports	VGA/HDMI/ Display port
42	Technical Specification of Desktop Computer	Connectivity	VGA HDMI / Display port	Connectivity	VGA/HDMI/ Display port
50	Printer	Printer		Multi-Functional Printer	
53	Device Memory	1GB		512 MB	
. 53	Display	WVGA Colour LCD 12.7cm(5in) Touch Screen Display		Specify	
54	Dimensions (W x D x H)	453 x 464 x 392mm		Specify	

54	Temperature	10 - 30°C	Specify	
54	3 Years comprehensive manufacturer warranty and Collect and Return Warranty		1 Year comprehensive manufacturer warranty and Collect and Return Warranty	
52	Serial No	Printer	Multifunctional Printer	

Page No 49
Installation and Configuration Part of Wireless Access point has been completely removed

Installation and configura	tion	
Installation and configuration	Installation and configuration should be done according to the requirements of the University of Jaffna.	
Maintenance and Support	Maintenance & Support services should be provided by the supplier, The Bidder should offer remote support services through their authorized service technical staff or engineer.	
Heat Map Report	The vendor should do the wireless signal coverage and strength analysis and based on the Heat Map Report select the most suitable AP location to cover the Project Area. The vendor must submit Heat Map Report.	
Mounting	Mounts to hard wall/ceiling with an outlet box including security screw.	
	Vendor must complete the end-to-end (nearest switch to AP) cabling for each AP using CAT6 UTP cables.	
Cabling	Vendor must place RJ-45 Wall outlets near each AP	
	Vendor must provide required patch cords for each AP	

Page 51

The below specification requirements has been removed

	in ements has been removed	
Send		Million Committee of the Committee of th
SEND Method	SMB, Email, FTP, iFAX Simple	
Colour Mode	Full Color, Grayscale, Monochrome	
Scan Resolution	300 x 600dpi	
File Format	JPEG, TIFF, PDF, Compact PDF, PDF (OCR)	
Fax		espelia de la legación de la companya de la company
Modem Speed	33.6 Kbps	
Fax Resolution	400 x 400 dpi	
Compression Method	MH, MR, MMR, JBIG	
Memory Capacity*2	512 pages	
Group dials /	Maximum 299 dials / Maximum 299	
Destinations	destinations	
Duplex Fax	Yes	
(Transmission)		
Sequential Broadcast	Maximum 310 destinations	
Receive Mode	Fax Only, Manual, Answering,	
	Fax/Tel Auto Switch	
Memory Backup	Permanent fax memory backup	
	(Backup with flash memory)	
Transmission Time	2.6s	

K.Sureshkumar

Bursar

.